



## Importance of pyrazole carboxylic acid in MOFs preparation

Mohamed El Boutaybi <sup>a</sup>, Abdelhafed Taleb <sup>b</sup>, Rachid Touzani <sup>c</sup>, Zahra Bahari <sup>a</sup>

<sup>a</sup> University Mohammed Premier, Multidisciplinary Faculty of Nador, Laboratory of Molecular Chemistry, Materials and Environment (LMCME), Nador-Morocco

<sup>b</sup> PSL Research University, Chimie ParisTech-CNRS, Paris Chemistry Research Institute, Paris 75005, France

<sup>c</sup> University Mohammed Premier, Faculty of Sciences, Laboratory of Environment and Applied Chemistry (LCAE), Oujda-Morocco

Received 18 Dec 2019, Revised 26 Dec 2019, Accepted 26 Jan 2020

### Abstract

Metal–organic frameworks (MOFs), constructed by organic linkers and metal nodes, are a new class of crystalline porous materials with significant application potentials. Featured with extremely high surface area, large porosity, tunable pore size, and flexible functionality, MOFs have gained extensive explorations as a highly versatile platform for functional applications in many research fields. This short review presents the applications of metal–organic frameworks (MOFs) synthesized from pyrazolate derivatives. In fact, many pyrazolate ligands were examined: These ligands were used to synthesize a variety of MOFs that were subsequently investigated for batteries, luminescent sensing, gas storage, catalytic performance etc.

**Keywords:** Metal-organic frameworks; batteries; luminescent sensing; gas storage; catalytic performance.

\* Corresponding author. Tel.: +212 607484225.

E-mail address: [m.elboutaybi@ump.ac.ma](mailto:m.elboutaybi@ump.ac.ma)

### 1. Introduction

The discovery of metal–organic frameworks (MOFs), as a new class of porous materials with high surface areas, tunable pore size and other engineerable properties has unlocked the potential opportunities for scientists to solve some pressing problems related to sustainable energy and environment [1]. Similar to other technologies, the research activities in the first 20 years have been


focused on the discovery phase [2-5], and in the next 30 years research interests will shift towards applications [6-8]. Metal-organic frameworks (MOFs) are fabricated from the metal ions or metal-oxo units coordinating with electron-donating organic ligands, so they can be designedly synthesized with tunable high porosities, large specific surface areas, uniform pore sizes, and functional structures [9]. These structural features make them favorable luminescent sensing candidates. It has been observed that organic ligands play crucial roles for the designed synthesis of some interesting coordination networks, such as the donating type, the flexibility, and the geometry of the organic ligands [10-13]. Especially the coordination compounds synthesized from transition metal ions and N-heterocyclic carboxylic ligands which containing heterocyclic nitrogen atoms, this type of compounds with open frameworks have been continuously explored with multiple applications in many fields, such as catalysis, ion exchange, selective separation and fluorescence probe, etc [14-28].

## 2. Examples of MOFs based on pyrazole carboxylic acid

Different MOF architectures were prepared using pyrazole carboxylic acid ligand as it can be observed from Fig.1. The compound 1 of Fig.1 is a flexible, multifunctional and an excellent material for the construction of novel coordination compounds and can be taken as an example to reveal the role of the pH value of the reaction in controlling the structure of the supramolecular architecture [29]. The Mannich catalytic reaction of zirconium MOFs based on compound 2 of Fig.1 and its derivatives showed a good conversion compared to other nitrogen ligands [30]. Furthermore, the compound 3 (1H-pyrazole-4-carboxylic acid) has been used in mechanical and electrochemistry synthesis methods, for preparing attractive MOF porous materials [31]. The preparation of luminescent Tb-MOFs based on compound 4 of Fig.1 was demonstrated to exhibit high sensitivity and detection of uric acid in aqueous media [32]. The compound 5 of Fig.1 (1-H- pyrazole-3,5-dicarboxylic acid), strongly bent linker molecule was used to prepare MOFs with specific topologies [33]. The compounds 6 and 7 of Fig.1 were used to synthesize a variety of MOFs that were subsequently investigated for luminescent sensing, gas storage, and catalytic performance [34].

The perfluorinated MOF materials based on compound 8 of Fig.1 has shown an excellent magnetic property [35], whereas the compound 9 in Fig.1 (N-rich pyridyl-pyrazole) was used as a linker in a synthesis of Ln-MOFs with good gas storage, magnetic and luminescence properties [36]. The post-synthesis of metallation used compound 10 of Fig.1 for enhancing catalytic performance of MOFs materials [37]. A luminescent sensor 3D MOF based on compound 11 of Fig.1 has been prepared with interesting topology [38]. The asymmetric tritopic pyrazole carboxylate ligand (compound 12 of Fig. 1) was used as a subunit to synthesis MOFs for acetone sensor application [39]. The bifunctional pyrazole-

isophthalate ligand (compound 13 of Fig.1) was used in the synthesis of flexible porous MOFs with dynamic CO<sub>2</sub> sorption isotherm [40].




**Figure 1:** List of organic linkers used in the synthesis of MOFs described in this review.

A two-dimensional MOFs were prepared using compound 14 of Fig.1 for a fluorescent sensor application, particularly for ascorbic acid detection [41]. A new luminescent MOFs based on compound

15 of Fig.1 were prepared and used for selective sensing of nitroaromatic explosives [42]. The compounds 16 of Fig.1 has been used by Bu et al. in a Co-MOF and a Zn-MOF, which show good CO<sub>2</sub>-sorption properties [43,44]. A series of metal–organic frameworks based on flexible ligands with nitrogen heterocycles and carboxyl (compounds 17 and 18 and 19 of Fig.1) were prepared and used in catalysis, ion exchange, selective separation and fluorescence [45]. The compounds in Figure 1 are not an exhaustive list of all the pyrazole carboxylic acid, but the main compounds involved in the preparation of MOFs as linkers.

### 3. Some applications of MOFs

Metal–organic frameworks (MOFs) are a class of porous materials first defined by Yaghi and co-workers [46], which recently have attracted extensive research interests both in LIBs and supercapacitors [47-54]. For example, Tarascon et al. have done pioneering work on the use of MIL-53 (Fe) as a cathode material [55] (Figure 2). Besides, Kang and Yaghi et al. have reported 23 kinds of different MOFs doped with graphene as supercapacitors, and several members of them give high capacitances [56].



**Figure 2:** Schematic Illustration of MOF-Related Materials for Rechargeable Batteries

Simultaneously, polyoxometalates (POMs) with multi-electron redox properties, stability, and structural diversity are well-suited to achieve a high capacity for energy storage applications (LIBs and pseudo capacitance) [57-61]. In addition to that Metal–organic frameworks have emerged as desirable cross-functional platforms for electrochemical and photochemical energy conversion and storage (ECS) systems owing to their highly ordered and tunable compositions and structures [62]. MOFs have been extensively explored in different battery systems in the past decades. Their adjustable porous structures and controllable compositions at molecular level are advantageous for the search of advanced electrode materials for batteries (e.g., LIBs, LSBs, LOBs, and SIBs) [63] (Figure 2). Pyrazole is a very versatile ligand and can play many different roles in chemical systems. Different pyrazole compounds were used to synthesize MOFs for many applications. Among them some are cited above in figure 1. A New MOFs constructed from Carboxylate Functionalized Bispyrazolylmethane (compound 6 of Fig.1) for Coal Mine Methane Capture and synthesis of gas storage materials [34]. The MOFs based on pyrazole compound 5 Fig. 1, were used for water adsorption and it was demonstrated to be a crucial material for many applications such as dehumidification, thermal batteries, and delivery of drinking water in remote areas [64,65].

#### 4. Conclusion

In summary, MOFs have received tremendous advances from structural design and controllable synthesis to their functional applications in the past two decades. Although many obstacles remain to be solved on their way to the industrial applications, the academia and chemical industry are beginning to join hands to realize practical applications of MOFs. We expect a bright future for MOFs with the collaborative efforts from researchers in different fields including chemists, materials scientists, engineers, medical professionals, and others.

#### Conflict of Interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

#### References

- [1] S. R. Caskey, A. J. Matzger, Selected applications of metal-organic frameworks in sustainable energy technologies, *Mater. Lett.*, 4 (4) 111 (2009).
- [2] M. Eddaoudi, J. Kim, N. Rosi, D. Vodak, J. Wachter, M. O’Keeffe, D.M. Yaghi, Systematic design

of pore size and functionality in isoreticular MOFs and their application in methane storage, *Science* 295 (5554) 469–472 (2002).

- [3] H. Furukawa, K.E. Cordova, M. O’Keeffe, O.M. Yaghi, The chemistry and applications of metal-organic frameworks, *Science* 341 (6149): 1230444 (2013).
- [4] S.S.Y. Chui, S.M.F. Lo, J.P.H. Charmant, A.G. Orpen, I.D. Williams, A chemically functionalizable nanoporous material, *Science* 283 (5405): 1148–1150 (1999).
- [5] H. Li, M. Eddaoudi, M. O’Keeffe, O.M. Yaghi, Design and synthesis of an exceptionally stable and highly porous metal-organic framework, *Nature* 402 (6759): 276–279 (1999).
- [6] H.C. Zhou, J.R. Long, O.M. Yaghi, Introduction to metal-organic frameworks, *Chem. Rev.* 112 (2) 673–674 (2012).
- [7] A.U. Czaja, N. Trukhan, U. Müller, Industrial applications of metal-organic frameworks, *Chem. Soc. Rev.* 38 (5) 1284–1293 (2009).
- [8] H.L. Jiang, Q. Xu, Porous metal-organic frameworks as platforms for functional applications, *Chem. Commun.* 47: 3351–3370 (2011).
- [9] N. W. Ockwig, O. Delgado-Friedrichs, M. O’Keeffe, O. M. Yaghi, Reticular chemistry: occurrence and taxonomy of nets and grammar for the design of frameworks, *Acc. Chem. Res.* 38 : 176-182 (2005). <https://doi.org/10.1021/ar020022l>
- [10] X. H. Bu, W. Chen, S. L. Lu, R. H. Zhang, D. Z. Liao, W. M. Bu, M. Shionoya, F. Brisse, J. Ribas, Flexible meso-Bis(sulfinyl) Ligands as Building Blocks for Copper(II) Coordination Polymers: Cavity Control by Varying the Chain Length of Ligands, *Angew. Chem., Int. Ed.* 40: 3201-3203, (2001). [https://doi.org/10.1002/1521-3773\(20010903\)40:17%3C3201::aid-anie3201%3E3.0.co;2-z](https://doi.org/10.1002/1521-3773(20010903)40:17%3C3201::aid-anie3201%3E3.0.co;2-z)
- [11] D. N. Dybtsev, H. Chun, K. Kim, *Angew. Chem.*, Rigid and flexible: a highly porous metal-organic framework with unusual guest-dependent dynamic behavior, *Int. Ed.* 43: 5033-5036 (2004). <https://doi.org/10.1002/anie.200460712>
- [12] X. L. Wang, C. Qin, E. B. Wang, L. Xu, Z. M. Su, C. W. Hu, Interlocked and interdigitated architectures from self-assembly of long flexible ligands and cadmium salts, *Angew. Chem., Int. Ed.* 43: 5036–5040 (2004). <https://doi.org/10.1002/anie.200460758>
- [13] L. F. Ma, L. Y. Wang, X. K. Huo, Y. Y. Wang, Y. T. Fan, J. G. Wang, S. H. Chen, Chain, Pillar, Layer, and Different Pores: A N-[(3-Carboxyphenyl)-sulfonyl]glycine Ligand as a Versatile Building Block for the Construction of Coordination Polymers, *Cryst. Growth Des.*, 8: 620 (2008). <https://doi.org/10.1021/cg700797v>
- [14] J. D. Crowley, D. Preston, R. A. S. Vasdev, *Dalton Trans.*, 17: 1147 (2017).
- [15] M. Rimoldi, A. J. Howarth, M. R. DeStefano, L. Lin, S. Goswami, P. Li, J. T. Hupp, O. K. Farha,

- Catalytic Zirconium/Hafnium-Based Metal–Organic Frameworks, *ACS Catal.*, 7: 997-1014 (2017).  
<https://doi.org/10.1021/acscatal.6b02923>
- [16] P. F. Ji, T. Sawano, Z. K. Lin, A. Urban, D. Boures, W. B. Lin, *J. Am. Chem. Soc.*, 138: 14860 (2016).
- [17] M. L. Gao, W. J. Wang, L. Liu, Z. B. Han, N. Wei, X. M. Cao, D. Q. Yuan, Microporous Hexanuclear Ln(III) Cluster-Based Metal-Organic Frameworks: Color Tunability for Barcode Application and Selective Removal of Methylene Blue, *Inorg.Chem.*, 56: 511-517 (2017).  
<https://doi.org/10.1021/acs.inorgchem.6b02413>
- [18] T. Tsuruoka, M. Kumano, K. Mantani, T. Matsuyama, A. Miyanaga, T. Ohhashi, Y. Takashima, H. Minami, T. Suzuki, K. Imagawa, K. Akamatsu, Interfacial Synthetic Approach for Constructing Metal-Organic Framework Crystals Using Metal Ion-Doped Polymer Substrat, *Cryst. Growth. Des.*, 16: 2472-2476 (2016).
- [19] J. C. Jin, L.Y. Pang, G. P. Yang, L. Hou, Y. Y. Wang, *Dalton Trans.*, 44: 17222 (2015).
- [20] L.Y. Pang, G. P. Yang, J. C. Jin, M. Kang, A.Y. Fu, Y.Y. Wang, Q. Z. Shi, *Cryst. Growth Des.*, 14: 2954 (2014).
- [21] S. Pramanik, Z. C. Hu, X. Zhang, C. Zheng, S. Kelly, J. Li, Organic-Inorganic hybrid supermicroporous iron(II) phosphonate nanoparticles as an , *Chem. Eur. J.* 19: 15964 (2013).
- [22] M. Zheng, H. Q. Tan, Z. G. Xie, L. G. Zhang, X. B. Jing, Z. C. Sun, *ACS Appl. Mater. Interfaces*, 5: 1078 (2013).
- [23] X. L. Qi, C. Zhang, B.Y. Wang, W. Xu, C.T. He, S.Y. Liu, W. X. Zhang, X. M. Chen, *Cryst. Eng. Comm.*, 15: 9530 (2013).
- [24] C. Heering, I. Boldog, V. Vasylyeva, *Cryst. Eng. Comm.*, 15: 9757 (2013).
- [25] K. Kongpatpanich, S. Horike, M. Sugimoto, *Inorg. Chem.* 53: 9870 (2014).
- [26] H. Kobayashi, H. Tomita, T. Naito, A. Kobayashi, F. Sakai, T. Watanabe, P. Cassoux, *J. Am. Chem. Soc.* 118: 368 (1996).
- [27] E. Q. Procopio, F. Linares, C. Montoro, V. Colombo, A. Maspero, E. Barea, J. A. R. Navarro, *Angew. Chem. Int. Ed.* 49: 7308 (2010).
- [28] E. Q. Procopio, T. Fukushima, E. Barea, J. A. R. Navarro, S. Horike, S. Kitagawa, *Chem. Eur. J.* 18: 13117 (2012).
- [29] Q.-Y. Li, M.-H. He, Z.-D. Shen, G.-W. Yang, Z.-Y. Yuan, pH Dependent structural diversity of lead compounds based on new flexible ligand [3-(2-pyridyl)-1-pyrazolyl] acetic acid, *Inorg. Chem. Communications*, 20: 214–218 (2012).
- [30] H. A., Hamzah, W.J. Gee, P.R. Raithby, S. Teat, M. Mahon, A.D. Burrows, *Chem. A Eur. J.*, 24:

11094-11102 (2018).

- [31] C. Feng, C.-P. Lv, Z.-Q. Li, H. Zhao, H.-H. Huang, *J. Sol. St. Chem.*, 265: 244-247 (2018).
- [32] Li. Tan, T. Fan, T. Xia, Y. Cui, Y. Yang, G. Qian, A luminescent terbium metal-organic framework for highly sensitive and selective detection of uric acid in aqueous media, *J. Sol. St. Chem.*, 272: 55-61 (2019).
- [33] S. Barman, H. Furukawa, O. Blacque, K. Venkatesan, O.M. Yaghi, G.-X. Jin, H. Berke, *Chem. Commun.*, 47: 11882-11884 (2011).
- [34] E. Charlie Kivi, Metal-Organic Frameworks of Pyrazolate Derivatives : Synthesis and Applications for Chemical Sensing, *Gas Separation, and Catalysis*, (2017).
- [35] J. Fritzsche, R. Ettliger, M. Grzywa, et al. *Dalton Trans.*, 48: 15244-15254 (2019).
- [36] Y. Zhang, D. Zhao, Z. Liu, et al., *J. Sol. St. Chem.*, 282: 121086 (2020).
- [37] W. M. Bloch, C. A. Burgun, J. Campbell, et al. Capturing snapshots of post-synthetic metallation chemistry in metal–organic frameworks, *Nature Chemistry*, 6: 906-912 (2014).
- [38] Y. Ge, S. Yao, X. Sun, et al. *Inorg. Chem. Commun.*, 93: 52-55 (2018).
- [39] S. Kumar, A. Arora, A. Kumar, et al. An unsymmetrical tritopic pyrazole carboxylate ligand based porous Cd (II) MOF sensor for acetone molecule, *Inorg. Chem. Commun.*, 96 : 16-19 (2018).
- [40] S. Millan, B. Gil-Hernandez, E. Milles, et al. *Dalton Trans.*, 48 : 8057-8067 (2019).
- [41] D. Yue, Y. Huang, J. Zhang, et al. *Eur. J. Inorg. Chem.*, 2 : 173-177 (2018).
- [42] T. Wang, Y. Jia, Q. Chen, R. Feng, S. Tian, Tong-Liang Hu & X.-He Bu, A new luminescent metal-organic framework for selective sensing of nitroaromatic explosives, *Sc. China-Chem.*, 59: 959-964 (2016)., <https://doi.org/10.1007/s11426-016-0034-1>
- [43] X. T. Liu, Y. Y. Jia, Y. H. Zhang, G. J. Ren, R. Feng, S. Y. Zhang, M. J. Zaworotko and X. H. Bu, *Inorg. Chem. Front.*, 3: 1510–1515 (2016).
- [44] Y.-Y. Jia, X.-T. Liu, R. Feng, S.-Y. Zhang, P. Zhang, Y.-B. He, Y.-H. Zhang and X.-H. Bu, *Cryst. Growth Des.*, 17: 2584–2588 (2017).
- [45] H.-y. Dai, Y.-y. Tang, C.-j. Wang, S. Chen, Y. Tong, Z.-B. Zhang, Preparation, structure and luminescent characterization of a series of metal–organic frameworks based on flexible ligands with nitrogen heterocycles and carboxyl, *J. Sol. St. Chem.*, (2017).
- [46] O. M. Yaghi, G. Li, H. Li, Selective binding and removal of guests in a microporous metal–organic framework, *Nature*, 378 : 703-706 (1995). <https://doi.org/10.1038/378703a0>
- [47] S. L. Li, Q. Xu, Metal–organic frameworks as platforms for clean energy, *Energy Environ. Sci.* 6: 1656-1683 (2013). <https://doi.org/10.1039/C3EE40507A>
- [48] F. S. Ke, Y. S. Wu, H. Deng, Nanoscale zinc-based metal-organic framework with high capacity



- for lithium-ion batteries, *J. S. S. Chem.* 223: 109-121 (2015). <https://doi.org/10.1007/s11051-016-3641-5>
- [49] L. Wang, Y. Z. Han, X. Feng, J. W. Zhou, P. F. Qi, B. Wang, *Coord. Chem. Rev.* 307 Part 2: 361-381 (2016).
- [50] F. Xu, Z. W. Tang, S. Q. Huang, L. Y. Chen, Y. R. Liang, W. C. Mai, H. Zhong, R. W. Fu, D. C. Wu, Facile synthesis of ultrahigh-surface-area hollow carbon nanospheres for enhanced adsorption and energy storage, *Nat. Commun.* 6 : 7221 (2015). <https://dx.doi.org/10.1038/ncomms8221>
- [51] C. D. Wessells, R. A. Huggins, Y. Cui, Copper hexacyanoferrate battery electrodes with long cycle life and high power, *Nat. Commun.* 2 : 550 (2011). <https://doi.org/10.1038/ncomms1563>
- [52] W. Li, J. Liu, D. Zhao, Mesoporous materials for energy conversion and storage devices, *Nat. Rev. Mater.* 1: 1602316039 (2016). <https://doi.org/10.1038/natrevmats.2016.23>
- [53] F. Zheng, Y. Yang, Q. Chen, High lithium anodic performance of highly nitrogen-doped porous carbon prepared from a metal-organic framework, *Nat. Commun.* 5: 6261 (2014). <https://doi.org/10.1038/ncomms6261>
- [54] Y. F. Yue, B. K. Guo, Z. A. Qiao P. F. Fulvio, J. H. Chen, A. J. Binder, C. C. Tian, S. Dai, *Micro. Meso. Mater.* 198: 139–143 (2014).
- [55] G. Ferey, F. Millange, M. Morcrette, C. Serre, M. L. Doublet, J. M. Greneche, J. M. Tarascon, Mixed-valence li/fe-based metal-organic frameworks with both reversible redox and sorption properties, *Angew. Chem. Int. Ed.* 46: 3259-3263 (2007). <https://doi.org/10.1002/anie.200605163>
- [56] K. M. Choi, H. M. Jeong, J. H. Park, Y. B. Zhang, J. K. Kang, O. M. Yaghi, Supercapacitors of Nanocrystalline Metal–Organic Frameworks, *ACS Nano*, 8: 7451-7457 (2014). <https://doi.org/10.1021/nn5027092>
- [57] J. J. Chen, M. D. Symes, S. C. Fan, M. S. Zheng, H. N. Miras, Q. F. Dong, L. Cronin, High-Performance Polyoxometalate-Based Cathode Materials for Rechargeable Lithium-Ion Batteries, *Adv. Mater.* 27: 4649-4654 (2015). <https://doi.org/10.1002/adma.201501088>
- [58] H. Wang, S. Hamanaka, Y. Nishimoto, S. Irle, T. Yokoyama, H. Yoshikawa, K. Awaga, In Operando X-ray Absorption Fine Structure Studies of Polyoxometalate Molecular Cluster Batteries: Polyoxometalates as Electron Sponges, *J. Am. Chem. Soc.* 134: 4918-4924 (2012). <https://doi.org/10.1021/ja2117206>
- [59] Y. Nishimoto, D. Yokogawa, H. Yoshikawa, K. Awaga, S. Irle, Super-Reduced Polyoxometalates: Excellent Molecular Cluster Battery Components and Semipermeable Molecular Capacitors, *J. Am. Chem. Soc.* 136: 9042-9052 (2014). <https://doi.org/10.1021/ja5032369>
- [60] Y. Y. Chen, M. Han, Y. J. Tang, J. C. Bao, S. L. Li, Y. Q. Lan, Z. H. Dai, Polypyrrole–

polyoxometalate/reduced graphene oxide ternary nanohybrids for flexible, all-solid-state supercapacitors, *Chem. Commun.* 51 : 12377-12380 (2015).

- [61] G. J. Suarez, V. Ruiz, R. P. Gomez, Stable graphene–polyoxometalate nanomaterials for application in hybrid supercapacitors, *Phys. Chem. Chem. Phys.* 16: 20411-20414 (2014). <https://doi.org/10.1039/C4CP03321C>
- [62] T. Qiu, Z. Liang, W. Guo, H. Tabassum, S. Gao, R. Zou, *ACS Energy Lett.* 5: 520–532 (2020).
- [63] R. Zhao, Z. Liang, R. Zou, and Q. Xu, Metal-Organic Frameworks for Batteries, *Joule* 2: 2235–2259 (2018). <https://doi.org/10.1016/j.joule.2018.09.019>
- [64] H. Furukawa, F. Gandara, Y.-B. Zhang, J. Jiang, W. L. Queen, M.R. Hudson, O. M. Yaghi, Water Adsorption in Porous Metal–Organic Frameworks and Related Materials, *J. Am. Chem. Soc.*, 136: 4369-4381 (2014). <https://doi.org/10.1021/ja500330a>
- [65] Y. Bai, Y. Dou, L.-H. Xie, W. Rutledge, J.-R. Li, H.-C. Zhou, Zr-based metal–organic frameworks: design, synthesis, structure, and applications, *Chem. Soc. Rev.*, 45: 2327-2367 (2016). <https://doi.org/10.1039/C5CS00837A>
- 

(2019) ; [www.mocedes.org/ajcer](http://www.mocedes.org/ajcer)